

Author Index

- Abraham, C.R., see Meckelein, B. (55) 181
 Alam, J., see Cook, J.L. (55) 9
 Armstrong, J.N., see Denovan-Wright, E.M. (55) 350
 Baba-Aïssa, F., Van Den Bosch, L., Wuytack, F., Raeymaekers, L. and Casteels, R.
 Regulation of the sarco/endoplasmic reticulum Ca^{2+} -ATPase (SERCA) 2 gene transcript in neuronal cells (55) 92
 Babity, J.M., see Denovan-Wright, E.M. (55) 350
 Baker, H., see Ghee, M. (55) 101
 Bazan, N.G., see Cook, J.L. (55) 9
 Beauvillain, J.-C., see Salzet, M. (55) 173
 Begbie, J., see Wyatt, S. (55) 254
 Bernal, J., see García-Fernández, L.F. (55) 321
 Bernstein, M.A. and Welch, S.P.
 μ -Opioid receptor down-regulation and cAMP-dependent protein kinase phosphorylation in a mouse model of chronic morphine tolerance (55) 237
 Bilfinger, T.V., see Salzet, M. (55) 173
 Bjønning, C., see Salzet, M. (55) 173
 Black, I.B., see Lin, S.-Y. (55) 20
 Brophy, P.J., see Rogers, K.R. (55) 355
 Burazin, T.C.D. and Gundlach, A.L.
 Up-regulation of GDNFR- α and *c-ret* mRNA in facial motor neurons following facial nerve injury in the rat (55) 331
 Burgher, K.L., see Ringheim, G.E. (55) 35
 Caicedo, A., see D'Aldin, C. (55) 151
 Carr, L.G., see Teerawatanasuk, N. (55) 61
 Carvalho, A.P., see Sequeira, S.M. (55) 337
 Carvalho, C.M., see Sequeira, S.M. (55) 337
 Casteels, R., see Baba-Aïssa, F. (55) 92
 Ceballos-Picot, I., see Guégan, C. (55) 133
 Chan, P.H., see Li, Y. (55) 277
 Chao, C.C., see Ringheim, G.E. (55) 35
 Chi, S.-I., see Lin, T.-N. (55) 71
 Church, R., see Rex, M. (55) 28
 Conn, K.-J., see Meckelein, B. (55) 181
 Cook, J.L., Marcheselli, V., Alam, J., Deininger, P.L. and Bazan, N.G.
 Temporal changes in gene expression following cryogenic rat brain injury (55) 9
 Corchero, J., see Manzanares, J. (55) 126
 Creveaux, I., Gobron, S., Meiniel, R., Dastugue, B. and Meiniel, A.
 Complex expression pattern of the SCO-spondin gene in the bovine subcommissural organ: toward an explanation for Reissner's fiber complexity? (55) 45
 D'Aldin, C., Caicedo, A., Ruel, J., Renard, N., Pujol, R. and Puel, J.-L.
 Antisense oligonucleotides to the GluR2 AMPA receptor subunit modify excitatory synaptic transmission in vivo (55) 151
 Dastugue, B., see Creveaux, I. (55) 45
 Deininger, P.L., see Cook, J.L. (55) 9
 Denovan-Wright, E.M., Newton, R.A., Armstrong, J.N., Babity, J.M. and Robertson, H.A.
 Acute administration of cocaine, but not amphetamine, increases the level of synaptotagmin IV mRNA in the dorsal striatum of rat (55) 350
 Doutheil, J., see Paschen, W. (55) 341
 Duarte, C.B., see Sequeira, S.M. (55) 337
 Ensor, L., see Wyatt, S. (55) 254
 Ernors, P., see Wyatt, S. (55) 254
 Fang, Y., Kelly, M.J. and Rønnekleiv, O.K.
 Proopiomelanocortin (POMC) mRNA expression: distribution and region-specific down-regulation by chronic morphine in female guinea pig hypothalamus (55) 1
 Fernandez-Ruiz, J.J., see Manzanares, J. (55) 126
 Flügge, G., see Meyer, U. (55) 243
 Fuchs, E., see Meyer, U. (55) 243
 Fuentes, J.A., see Manzanares, J. (55) 126
 Fukunaga, Y., Nishida, S., Inoue, N., Miyamoto, M., Kishioka, S. and Yamamoto, H.
 Time course of morphine withdrawal and preproenkephalin gene expression in the periaqueductal gray of rats (55) 221
 Gall, C.M., see Lauterborn, J.C. (55) 81
 Gall, C.M., see Pinkstaff, J.K. (55) 265
 García-Fernández, L.F., Urade, Y., Hayaishi, O., Bernal, J. and Muñoz, A.
 Identification of a thyroid hormone response element in the promoter region of the rat lipocalin-type prostaglandin D synthase (β -trace) gene (55) 321
 Gavériaux-Ruff, C., see Tryoen-Toth, P. (55) 141
 Ghee, M., Baker, H., Miller, J.C. and Ziff, E.B.
 AP-1, CREB and CBP transcription factors differentially regulate the tyrosine hydroxylase gene (55) 101
 Gobron, S., see Creveaux, I. (55) 45
 Greco, M.A., Magner, M., Overstreet, D. and Shiromani, P.J.
 Expression of cholinergic markers in the pons of Flinders rats (55) 232
 Griffin, M., see Rogers, K.R. (55) 355
 Guégan, C., Onténiente, B., Makiura, Y., Merad-Boudia, M., Ceballos-Picot, I. and Sola, B.
 Reduction of cortical infarction and impairment of apoptosis in NGF-transgenic mice subjected to permanent focal ischemia (55) 133
 Gundlach, A.L., see Burazin, T.C.D. (55) 331
 Hayaishi, O., see García-Fernández, L.F. (55) 321
 Hayakawa, T., see Nonaka, M. (55) 54
 Hendriksen, H., see Kamphuis, W. (55) 209
 Hibino, Y., see Katsura, M. (55) 345
 Hide, I., see Inoue, A. (55) 285
 Hirose, T., see Inoue, A. (55) 285
 Hong Liu, X., see Szaflarski, J. (55) 306
 Hurd, Y.L., see Österlund, M.K. (55) 169
 Ichihashi, R.M.A., see Rex, M. (55) 28
 Inoue, A., Seto, M., Sugita, S., Hide, I., Hirose, T., Koga, N., Kikuchi, T. and Nakata, Y.
 Differential effects on D_2 dopamine receptor and prolactin gene expression by haloperidol and aripiprazole in the rat pituitary (55) 285
 Inoue, N., see Fukunaga, Y. (55) 221
 Isackson, P.J., see Lauterborn, J.C. (55) 81
 Ivacko, J., see Szaflarski, J. (55) 306
 Kamphuis, W. and Hendriksen, H.
 Expression patterns of voltage-dependent calcium channel α_1 subunits (α_{1A} – α_{1E}) mRNA in rat retina (55) 209
 Katsura, M., Ohkuma, S., Xu, J., Hibino, Y., Tsujimura, A. and Kuriyama, K.
 Continuous treatment with nicotine increases diazepam binding inhibitor (DBI) and its mRNA in the mouse brain (55) 345
 Kelly, M.J., see Fang, Y. (55) 1
 Kikuchi, T., see Inoue, A. (55) 285
 Kimura, H., see Suzuki, M. (55) 165
 Kiryu-Seo, S., see Namikawa, K. (55) 315
 Kishioka, S., see Fukunaga, Y. (55) 221
 Kitajima, K., see Suzuki, M. (55) 165
 Kitanishi, T., see Suzuki, M. (55) 165
 Kitano, H., see Suzuki, M. (55) 165
 Kiyama, H., see Namikawa, K. (55) 315
 Koga, N., see Inoue, A. (55) 285
 Kohmura, E., see Nonaka, M. (55) 54

Author Index

- Abraham, C.R., see Meckelein, B. (55) 181
 Alam, J., see Cook, J.L. (55) 9
 Armstrong, J.N., see Denovan-Wright, E.M. (55) 350
 Baba-Aïssa, F., Van Den Bosch, L., Wuytack, F., Raeymaekers, L. and Casteels, R.
 Regulation of the sarco/endoplasmic reticulum Ca^{2+} -ATPase (SERCA) 2 gene transcript in neuronal cells (55) 92
 Babity, J.M., see Denovan-Wright, E.M. (55) 350
 Baker, H., see Ghee, M. (55) 101
 Bazan, N.G., see Cook, J.L. (55) 9
 Beauvillain, J.-C., see Salzet, M. (55) 173
 Begbie, J., see Wyatt, S. (55) 254
 Bernal, J., see García-Fernández, L.F. (55) 321
 Bernstein, M.A. and Welch, S.P.
 μ -Opioid receptor down-regulation and cAMP-dependent protein kinase phosphorylation in a mouse model of chronic morphine tolerance (55) 237
 Bilfinger, T.V., see Salzet, M. (55) 173
 Bjenning, C., see Salzet, M. (55) 173
 Black, I.B., see Lin, S.-Y. (55) 20
 Brophy, P.J., see Rogers, K.R. (55) 355
 Burazin, T.C.D. and Gundlach, A.L.
 Up-regulation of GDNFR- α and *c-ret* mRNA in facial motor neurons following facial nerve injury in the rat (55) 331
 Burgher, K.L., see Ringheim, G.E. (55) 35
 Caicedo, A., see D'Aldin, C. (55) 151
 Carr, L.G., see Teerawatanasuk, N. (55) 61
 Carvalho, A.P., see Sequeira, S.M. (55) 337
 Carvalho, C.M., see Sequeira, S.M. (55) 337
 Casteels, R., see Baba-Aïssa, F. (55) 92
 Ceballos-Picot, I., see Guégan, C. (55) 133
 Chan, P.H., see Li, Y. (55) 277
 Chao, C.C., see Ringheim, G.E. (55) 35
 Chi, S.-I., see Lin, T.-N. (55) 71
 Church, R., see Rex, M. (55) 28
 Conn, K.-J., see Meckelein, B. (55) 181
 Cook, J.L., Marcheselli, V., Alam, J., Deininger, P.L. and Bazan, N.G.
 Temporal changes in gene expression following cryogenic rat brain injury (55) 9
 Corchero, J., see Manzanares, J. (55) 126
 Creveaux, I., Gobron, S., Meiniel, R., Dastugue, B. and Meiniel, A.
 Complex expression pattern of the SCO-spondin gene in the bovine subcommissural organ: toward an explanation for Reissner's fiber complexity? (55) 45
 D'Aldin, C., Caicedo, A., Ruel, J., Renard, N., Pujol, R. and Puel, J.-L.
 Antisense oligonucleotides to the GluR2 AMPA receptor subunit modify excitatory synaptic transmission in vivo (55) 151
 Dastugue, B., see Creveaux, I. (55) 45
 Deininger, P.L., see Cook, J.L. (55) 9
 Denovan-Wright, E.M., Newton, R.A., Armstrong, J.N., Babity, J.M. and Robertson, H.A.
 Acute administration of cocaine, but not amphetamine, increases the level of synaptotagmin IV mRNA in the dorsal striatum of rat (55) 350
 Doutheil, J., see Paschen, W. (55) 341
 Duarte, C.B., see Sequeira, S.M. (55) 337
 Ensor, L., see Wyatt, S. (55) 254
 Ernors, P., see Wyatt, S. (55) 254
 Fang, Y., Kelly, M.J. and Rønnekleiv, O.K.
 Proopiomelanocortin (POMC) mRNA expression: distribution and region-specific down-regulation by chronic morphine in female guinea pig hypothalamus (55) 1
 Fernandez-Ruiz, J.J., see Manzanares, J. (55) 126
 Flügge, G., see Meyer, U. (55) 243
 Fuchs, E., see Meyer, U. (55) 243
 Fuentes, J.A., see Manzanares, J. (55) 126
 Fukunaga, Y., Nishida, S., Inoue, N., Miyamoto, M., Kishioka, S. and Yamamoto, H.
 Time course of morphine withdrawal and preproenkephalin gene expression in the periaqueductal gray of rats (55) 221
 Gall, C.M., see Lauterborn, J.C. (55) 81
 Gall, C.M., see Pinkstaff, J.K. (55) 265
 García-Fernández, L.F., Urade, Y., Hayaishi, O., Bernal, J. and Muñoz, A.
 Identification of a thyroid hormone response element in the promoter region of the rat lipocalin-type prostaglandin D synthase (β -trace) gene (55) 321
 Gavériaux-Ruff, C., see Tryoen-Toth, P. (55) 141
 Ghee, M., Baker, H., Miller, J.C. and Ziff, E.B.
 AP-1, CREB and CBP transcription factors differentially regulate the tyrosine hydroxylase gene (55) 101
 Gobron, S., see Creveaux, I. (55) 45
 Greco, M.A., Magner, M., Overstreet, D. and Shiromani, P.J.
 Expression of cholinergic markers in the pons of Flinders rats (55) 232
 Griffin, M., see Rogers, K.R. (55) 355
 Guégan, C., Onténiente, B., Makiura, Y., Merad-Boudia, M., Ceballos-Picot, I. and Sola, B.
 Reduction of cortical infarction and impairment of apoptosis in NGF-transgenic mice subjected to permanent focal ischemia (55) 133
 Gundlach, A.L., see Burazin, T.C.D. (55) 331
 Hayaishi, O., see García-Fernández, L.F. (55) 321
 Hayakawa, T., see Nonaka, M. (55) 54
 Hendriksen, H., see Kamphuis, W. (55) 209
 Hibino, Y., see Katsura, M. (55) 345
 Hide, I., see Inoue, A. (55) 285
 Hirose, T., see Inoue, A. (55) 285
 Hong Liu, X., see Szaflarski, J. (55) 306
 Hurd, Y.L., see Österlund, M.K. (55) 169
 Ichihashi, R.M.A., see Rex, M. (55) 28
 Inoue, A., Seto, M., Sugita, S., Hide, I., Hirose, T., Koga, N., Kikuchi, T. and Nakata, Y.
 Differential effects on D_2 dopamine receptor and prolactin gene expression by haloperidol and aripiprazole in the rat pituitary (55) 285
 Inoue, N., see Fukunaga, Y. (55) 221
 Isackson, P.J., see Lauterborn, J.C. (55) 81
 Ivacko, J., see Szaflarski, J. (55) 306
 Kamphuis, W. and Hendriksen, H.
 Expression patterns of voltage-dependent calcium channel α_1 subunits (α_{1A} – α_{1E}) mRNA in rat retina (55) 209
 Katsura, M., Ohkuma, S., Xu, J., Hibino, Y., Tsujimura, A. and Kuriyama, K.
 Continuous treatment with nicotine increases diazepam binding inhibitor (DBI) and its mRNA in the mouse brain (55) 345
 Kelly, M.J., see Fang, Y. (55) 1
 Kikuchi, T., see Inoue, A. (55) 285
 Kimura, H., see Suzuki, M. (55) 165
 Kiryu-Seo, S., see Namikawa, K. (55) 315
 Kishioka, S., see Fukunaga, Y. (55) 221
 Kitajima, K., see Suzuki, M. (55) 165
 Kitanishi, T., see Suzuki, M. (55) 165
 Kitano, H., see Suzuki, M. (55) 165
 Kiyama, H., see Namikawa, K. (55) 315
 Koga, N., see Inoue, A. (55) 285
 Kohmura, E., see Nonaka, M. (55) 54

- Kratz, E., see Moffett, J. (55) 293
 Kruhoffer, M., see Meyer, U. (55) 243
 Kuo, J.-S., see Lin, T.-N. (55) 71
 Kuriyama, K., see Katsura, M. (55) 345
- Labourdette, G., see Tryoen-Toth, P. (55) 141
 Latchman, D.S., see Wyatt, S. (55) 254
 Lauterborn, J.C., Poulsen, F.R., Stinis, C.T., Isackson, P.J. and Gall, C.M.
 Transcript-specific effects of adrenalectomy on seizure-induced BDNF expression in rat hippocampus (55) 81
 Lésage, J., see Salzet, M. (55) 173
 Levine, E.S., see Lin, S.-Y. (55) 20
 Li, X.-L., see Zhang, L.-X. (55) 198
 Li, Y. and Chan, P.H.
 Identification of the pro-oncogene *stathmin* / *op18* mRNA in the brain of mitochondrial Mn-superoxide dismutase-deficient mice by a modified differential display PCR (55) 277
 Lin, S.-Y., Wu, K., Levine, E.S., Mount, H.T.J., Suen, P.-C. and Black, I.B.
 BDNF acutely increases tyrosine phosphorylation of the NMDA receptor subunit 2B in cortical and hippocampal postsynaptic densities (55) 20
 Lin, T.-N., Wang, P.-Y., Chi, S.-I. and Kuo, J.-S.
 Differential regulation of ciliary neurotrophic factor (CNTF) and CNTF receptor α (CNTFR α) expression following focal cerebral ischemia (55) 71
 Linden, T., see Paschen, W. (55) 341
 Lynch, G., see Pinkstaff, J.K. (55) 265
- Maderspach, K., see Tryoen-Toth, P. (55) 141
 Magner, M., see Greco, M.A. (55) 232
 Makiura, Y., see Guégan, C. (55) 133
 Manzanares, J., Corchero, J., Romero, J., Fernandez-Ruiz, J.J., Ramos, J.A. and Fuentes, J.A.
 Chronic administration of cannabinoids regulates proenkephalin mRNA levels in selected regions of the rat brain (55) 126
 Marcheselli, V., see Cook, J.L. (55) 9
 Marshall, D.C.L., see Meckelein, B. (55) 181
 Meckelein, B., Marshall, D.C.L., Conn, K.-J., Pietropaolo, M., Van Nostrand, W. and Abraham, C.R.
 Identification of a novel serine protease-like molecule in human brain (55) 181
 Meiniel, A., see Creveaux, I. (55) 45
 Meiniel, R., see Creveaux, I. (55) 45
 Merad-Boudia, M., see Guégan, C. (55) 133
 Meyer, U., Kruhoffer, M., Flügge, G. and Fuchs, E.
 Cloning of glucocorticoid receptor and mineralocorticoid receptor cDNA and gene expression in the central nervous system of the tree shrew (*Tupaia belangeri*) (55) 243
 Miller, J.C., see Ghee, M. (55) 101
 Miyamoto, M., see Fukunaga, Y. (55) 221
 Moffett, J., Kratz, E. and Stachowiak, M.K.
 Increased tyrosine phosphorylation and novel *cis*-acting element mediate activation of the fibroblast growth factor-2 (FGF-2) gene by nicotinic acetylcholine receptor.
 New mechanism for trans-synaptic regulation of cellular development and plasticity (55) 293
 Mokhtar, S., see Rex, M. (55) 28
 Mount, H.T.J., see Lin, S.-Y. (55) 20
 Muñoz, A., see García-Fernández, L.F. (55) 321
- Nakata, Y., see Inoue, A. (55) 285
 Namikawa, K., Su, Q., Kiryu-Seo, S. and Kiyama, H.
 Enhanced expression of 14-3-3 family members in injured motoneurons (55) 315
 Newton, R.A., see Denovan-Wright, E.M. (55) 350
 Nishida, S., see Fukunaga, Y. (55) 221
 Nonaka, M., Kohmura, E., Yamashita, T., Shimada, S., Tanaka, K., Yoshimine, T., Tohyama, M. and Hayakawa, T.
 Increased transcription of glutamate-aspartate transporter (GLAST/GluT-1) mRNA following kainic acid-induced limbic seizure (55) 54
- Ohkuma, S., see Katsura, M. (55) 345
 Onténiente, B., see Guégan, C. (55) 133
 Österlund, M.K. and Hurd, Y.L.
 Acute 17 β -estradiol treatment down-regulates serotonin 5HT_{1A} receptor mRNA expression in the limbic system of female rats (55) 169
 Overstreet, D., see Greco, M.A. (55) 232
- Paschen, W., Linden, T. and Doutheil, J.
 Effects of transient cerebral ischemia on hsp40 mRNA levels in rat brain (55) 341
 Petko, W., see Ringheim, G.E. (55) 35
 Pfaff, D.W., see Zhu, Y.-S. (55) 115
 Pietropaolo, M., see Meckelein, B. (55) 181
 Pinkstaff, J.K., Lynch, G. and Gall, C.M.
 Localization and seizure-regulation of integrin β 1 mRNA in adult rat brain (55) 265
 Post, R.M., see Zhang, L.-X. (55) 198
 Poulsen, F.R., see Lauterborn, J.C. (55) 81
 Puel, J.-L., see D'Aldin, C. (55) 151
 Pujol, R., see D'Aldin, C. (55) 151
- Raeymaekers, L., see Baba-Aïssa, F. (55) 92
 Ramos, J.A., see Manzanares, J. (55) 126
 Reichardt, L.F., see Wyatt, S. (55) 254
 Renard, N., see D'Aldin, C. (55) 151
 Rex, M., Church, R., Tointon, K., Ichihashi, R.M.A., Mokhtar, S., Uwanogho, D., Sharpe, P.T. and Scotting, P.J.
 Granule cell development in the cerebellum is punctuated by changes in *Sox* gene expression (55) 28
 Rialas, C., see Salzet, M. (55) 173
 Ringheim, G.E., Szczepanik, A.M., Petko, W., Burgher, K.L., Zhu, S.Z. and Chao, C.C.
 Enhancement of beta-amyloid precursor protein transcription and expression by the soluble interleukin-6 receptor/interleukin-6 complex (55) 35
 Robertson, H.A., see Denovan-Wright, E.M. (55) 350
 Rogers, K.R., Griffin, M. and Brophy, P.J.
 The secretory epithelial cells of the choroid plexus employ a novel kinesin-related protein (55) 355
- Romero, J., see Manzanares, J. (55) 126
 Rønnekleiv, O.K., see Fang, Y. (55) 1
 Ruel, J., see D'Aldin, C. (55) 151
- Salzet, B., see Salzet, M. (55) 173
 Salzet, M., Salzet, B., Sautière, P., Lésage, J., Beauvillain, J.-C., Bilfinger, T.V., Rialas, C., Bjenning, C. and Stefano, G.B.
 Isolation and characterization of a leech neuropeptide in rat brains: coupling to nitric oxide release in leech, rat and human tissues (55) 173
 Sautière, P., see Salzet, M. (55) 173
 Scotting, P.J., see Rex, M. (55) 28
 Sequeira, S.M., Duarte, C.B., Carvalho, A.P. and Carvalho, C.M.
 Nitric oxide differentially affects the exocytotic and the carrier-mediated release of [³H]- γ -aminobutyric acid in rat hippocampal synaptosomes (55) 337
 Seto, M., see Inoue, A. (55) 285
 Sharpe, P.T., see Rex, M. (55) 28
 Shimada, S., see Nonaka, M. (55) 54
 Shiromani, P.J., see Greco, M.A. (55) 232
 Smith, M.A., see Zhang, L.-X. (55) 198
 Sola, B., see Guégan, C. (55) 133
 S. Silverstein, F., see Szaflarski, J. (55) 306
 Stachowiak, M.K., see Moffett, J. (55) 293
 Stefano, G.B., see Salzet, M. (55) 173
 Stinis, C.T., see Lauterborn, J.C. (55) 81
 Su, Q., see Namikawa, K. (55) 315
 Suen, P.-C., see Lin, S.-Y. (55) 20
 Sugita, S., see Inoue, A. (55) 285
 Suzuki, M., Kitano, H., Kitanishi, T., Yazawa, Y., Kitajima, K., Takeda, T., Kimura, H. and Tooyama, I.
 RT-PCR analysis of mRNA expression of natriuretic peptide family and their receptors in rat inner ear (55) 165
 Szaflarski, J., Ivacko, J., Hong Liu, X., Warren, J.S. and S. Silverstein, F.
 Excitotoxic injury induces monocyte chemoattractant protein-1 expression in neonatal rat brain (55) 306
 Szczepanik, A.M., see Ringheim, G.E. (55) 35
- Takeda, T., see Suzuki, M. (55) 165
 Tanaka, K., see Nonaka, M. (55) 54
 Teerawatanasuk, N. and Carr, L.G.
 CBF/NF- κ B activates transcription of the human *tryptophan hydroxylase* gene through an inverted CCAAT box (55) 61
 Tohyama, M., see Nonaka, M. (55) 54
 Tointon, K., see Rex, M. (55) 28
 Tooyama, I., see Suzuki, M. (55) 165
 Tryoen-Toth, P., Gavériaux-Ruff, C., Maderspach, K. and Labourdette, G.
 Regulation of κ -opioid receptor mRNA level by cyclic AMP and growth factors in cultured rat glial cells (55) 141
 Tsujimura, A., see Katsura, M. (55) 345
- Urade, Y., see García-Fernández, L.F. (55) 321
 Uwanogho, D., see Rex, M. (55) 28

Van Den Bosch, L., see Baba-Aïssa, F. (55) 92
Van Nostrand, W., see Meckelein, B. (55) 181

Wang, P.-Y., see Lin, T.-N. (55) 71
Warren, J.S., see Szaflarski, J. (55) 306
Weiss, S.R.B., see Zhang, L.-X. (55) 198
Welch, S.P., see Bernstein, M.A. (55) 237
Wu, K., see Lin, S.-Y. (55) 20
Wuytack, F., see Baba-Aïssa, F. (55) 92
Wyatt, S., Ensor, L., Begbie, J., Ernfors, P.,
Reichardt, L.F. and Latchman, D.S.

NT-3 regulates expression of Brn3a but not
Brn3b in developing mouse trigeminal sen-
sory neurons (55) 254

Xu, J., see Katsura, M. (55) 345

Yamamoto, H., see Fukunaga, Y. (55) 221
Yamashita, T., see Nonaka, M. (55) 54
Yazawa, Y., see Suzuki, M. (55) 165
Yoshimine, T., see Nonaka, M. (55) 54

Zhang, L.-X., Smith, M.A., Li, X.-L., Weiss,
S.R.B. and Post, R.M.

Apoptosis of hippocampal neurons after
amygdala kindled seizures (55) 198

Zhu, S.Z., see Ringheim, G.E. (55) 35

Zhu, Y.-S. and Pfaff, D.W.

Differential regulation of AP-1 DNA bind-
ing activity in rat hypothalamus and pitu-
itary by estrogen (55) 115

Ziff, E.B., see Ghee, M. (55) 101

